

10 INSTALLATION ACCESSORIES

AIR LINE ACCESSORIES	122
INSTALLATION ACCESSORIES	123
INSTALLATION AND TANK ACCESSORIES	124
LOW, MEDIUM AND HIGH PRESSURE HOSES	125



AIR TREATMENT



970

AIR REGULATOR AND GAUGES			
970	973	976	980
1/4"	3/8"	1/2"	3/4"



971

LUBRICATORS			
971	974	977	981
1/4"	3/8"	1/2"	3/4"



956

FILTER, REGULATOR, LUBRICATOR WITH AUTO DRAIN					
983	984	985	986	987	988
1/4"	3/8"	1/2"	3/4"	Mounting bracket for 1/4" and 3/8" package	Mounting bracket for 1/2" and 3/4" package

FILTER, REGULATOR, COMBO UNITS WITH AUTO DRAIN IN COMPACT UNIT			
952	956	957	958
3/4"	1/4"	3/8"	1/2"

MINI UNITS				
991	992	993	995	955
1/4" Regulator	1/4" Lubricator	1/4" Filter	1/4" FRL package	1/4" Filter regulator



972



979



983



995

COUPLERS AND CONNECTORS

COUPLER CONNECTOR INTERCHANGE ARO SERIES

This series of couplers and connectors is engineered to interchange with the ARO design as well as similar designs of other manufacturers.



1/4" BODY SIZE COUPLERS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	930F04	930M04
3/8"	930F06	930M06

1/4" BODY SIZE CONNECTORS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	933F04	933M04
3/8"	933F06	933M06



COUPLER CONNECTOR INTERCHANGE LINCOLN SERIES

This series of couplers and connectors is engineered to interchange with the Lincoln designs as well as similar designs of other manufacturers.



1/4" BODY SIZE COUPLERS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	950F04	950M04

1/4" BODY SIZE CONNECTORS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	953F04	953M04



COUPLER CONNECTOR INTERCHANGE INDUSTRIAL SERIES

This series of couplers and connectors is engineered to interchange with the industrial interchange design of all manufacturers.



3/8" BODY SIZE COUPLERS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	935F04	935M04
3/8"	935F06	935M06
1/2"	935F08	935M08

3/8" BODY SIZE CONNECTORS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
1/4"	936F04	936M04
3/8"	936F06	936M06
1/2"	936F08	936M08



1/2" BODY SIZE COUPLERS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
3/8"	938F06	938M06
1/2"	938F08	938M08

1/2" BODY SIZE CONNECTORS		
THREAD SIZE	FEMALE THREAD	MALE THREAD
3/8"	947F06	947M06
1/2"	947F08	947M08



COUPLERS AND CONNECTORS



Hex Nipple (standard and reducing)

NPT male threads both ends.

PART No.	THREAD SIZE
2050	1/8" x 1/8"
2044	1/8" x 1/4"
2521	1/8" x 3/8"
2051	1/4" x 1/4"
2048	1/4" x 3/8"
2522	1/4" x 1/2"
2052	3/8" x 3/8"
2035	3/8" x 1/2"
2523	3/8" x 3/4"
2053	1/2" x 1/2"
2094	1/2" x 3/4"
2054	3/4" x 3/4"
1953	3/4" x 1"
2055	1" x 1"



Reducing adaptors

NPT male and female threads.

PART No.	MALE THREAD	FEMALE THREAD
2096	1/8"	1/4"
2501	1/4"	3/8"
2502	1/4"	1/28"
2508	3/8"	1/2"
2511	1/2"	3/4"



Swivel unions, double female threads

NPT female thread, NPSM swivel thread.

PART No.	FEMALE THREAD (SWIVEL)	FEMALE THREAD (FIX)
1960	1/4"	1/4"
1961	3/8"	1/4"
1962	3/8"	3/8"
1963	1/2"	3/8"
1964	1/2"	1/2"
1965	3/4"	1/2"
1958	3/4"	3/4"
1966	3/4"	1"
1941	1"	1/2"
1969	1"	3/4"
1967	1"	1"



Swivel 90° unions, double female threads

NPT female thread, NPSM swivel thread.

PART No.	FEMALE THREAD (SWIVEL)	FEMALE THREAD (FIX)
1970	1/4"	1/4"
1971	3/8"	3/8"
1972	3/8"	1/2"
1973	1/2"	3/8"
1997	3/4"	1/2"
1974	3/4"	3/4"
1968	3/4"	1"
1983	1"	1/2"
1985	1"	3/4"
1993	1"	1"



Couplings

NPT female threads both ends

PART No.	THREAD SIZE
2067	1/8" x 1/8"
2068	1/4" x 1/4"
2069	3/8" x 3/8"
2058	3/8" x 1/2"
2070	1/2" x 1/2"
2071	3/4" x 3/4"
2537	3/4" x 1"
2073	1" x 1"



Bushing

NPT male and female threads

PART No.	MALE THREAD	FEMALE THREAD
2581	1/8"	3/8"
2582	1/8"	1/2"
2059	1/4"	1/8"
2583	1/4"	1/2"
2063	3/8"	1/8"
2060	3/8"	1/4"
2584	3/8"	3/8"
2043	3/8"	1/2" - 27 (F)
2064	1/2"	1/8"
2062	1/2"	1/4"
2061	1/2"	3/8"
2097	1/2"	1/2"
2586	1/2"	3/4"
2587	3/4"	1/4"
2046	3/4"	3/8"
2065	3/4"	1/2"
2500	1"	1/2"
2066	1"	3/4"
2561	1-1/2"	3/4"
2023	1-1/2"	1"



Swivel 90° unions, female x male threads

NPT male thread, NPSM swivel thread.

PART No.	FEMALE THREAD (SWIVEL)	FEMALE THREAD (FIX)
1947	1/4"	1/4"
1977	3/8"	1/4"
1978	3/8"	3/8"
1979	3/8"	1/2"
1980	1/2"	3/8"
1981	1/2"	1/2"
1982	3/4"	3/4"



Street Elbow, male x female threads

NPT Male and female threads.

PART No.	FEMALE THREAD	MALE THREAD
2547	3/8"	3/8"
2514	1/2"	1/2"
2519	3/4"	3/4"
2549	1"	1"



Swivel unions, female x male threads

NPT male thread, NPSM swivel thread.


PART No.	FEMALE THREAD (SWIVEL)	MALE THREAD
1942	1/4"	1/4"
1944	3/8"	1/4"
1948	3/8"	3/8"
1951	3/8"	1/2"
1943	1/2"	3/8"
1949	1/2"	1/2"
1957	1/2"	3/4"
1945	3/4"	1/2"
1952	3/4"	3/4"
1954	3/4"	1"
1955	1"	3/4"
1946	1"	1"



Elbows

Double male or double female threads.

PART No.	THREADS SIZE
2513	1/2" NPT female
2512	1/2" NPT male



LOW PRESSURE BALL VALVES

400 psi

PART No.	THREADS (FEMALE BOTH ENDS)
2013	1/4" NPT
2088	1/2" NPT
2091	3/4" NPT
2084	1" NPT



MEDIUM PRESSURE BALL VALVES

2,000 psi

PART No.	THREADS (FEMALE BOTH ENDS)
2074	1/2" NPT
2083	3/4" NPT
2090	1" NPT
2082	1-1/2" NPT



HIGH PRESSURE NEEDLE VALVES

10,000 psi

PART No.	THREADS (FEMALE BOTH ENDS)
2077	1/2" NPT
2089	3/4" NPT
2093	1" NPT

COUPLERS AND CONNECTORS

SWING ARM STYLE FLOAT GAUGE FITS 2" TANK OPENING

- Part No. 2640**
Tanks with 32" interior height.
- Part No. 2641**
Tanks with 44" interior height.
- Part No. 2642**
Tanks with 48" interior height.
- Part No. 2643**
Tanks with 60" interior height.
- Part No. 2644**
Tanks with 72" interior height.



2631



2632



FILL CAPS AND TANK VENTS

- Part No. 2631**
2" Vented style Fill Cap with hinged cover.
- Part No. 2632**
2" Standard (mushroom) Vent.
- Part No. 2633**
3" Emergency Vent.
- Part No. 2634**
4" Emergency Vent.


HIGH LEVEL TANK SENSOR



Air operated float level sensor alarm with high level sensor and alarm whistle, rotating collar allows 360° indexing of float.

- Part No. OA-1**
Normally open, turns air off when in alarm.

TIE DOWN KITS



Hold down kits hose with Heavy-Duty covers 418 026 (400 lb drums) and 418 017 (120 lb kegs). Use Part No. 360 133 to convert this flange mounted covers into a bung mounted cover.

- Part No. 2440**
Hold down kit for lube trucks.
Secures 120 lb / 16 gal keg to truck bed.

- Part No. 2450**
Hold down kit for lube trucks.
Secures 400 lb / 55 gal drum to truck bed.

LOW, MEDIUM AND HIGH PRESSURE HOSES



HEAVY DUTY REINFORCED GREASE HOSES

Heavy Duty reinforced hoses for use with grease and lubricants. For hose reel replacement hoses, please refer to the corresponding hose reel manual.

1/4" ID WITH MAXIMUM PRESSURE RATING OF 5000 PSI (345 BAR)

PART No.	LENGTH	FITTINGS
870	2.5'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
871 000	5'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
877 000	7'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
872 000	10'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
873 000	15'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
874 000	20'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
875 000	25'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
850 706	30'	3/8" NPT (M) fix 1/4" NPT (M) fix
878 000	40'	1/2" NPT (M) swivel x 1/4" NPT (M) fix
879 000	50'	1/2" NPT (M) swivel x 1/4" NPT (M) fix
880 000	60'	1/2" NPT (M) swivel x 1/4" NPT (M) fix

3/8" ID WITH MAXIMUM PRESSURE RATING OF 4000 PSI (276 BAR)

PART No.	LENGTH	FITTINGS
883	2.5'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
884	5'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
885	10'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
887	20'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
888	25'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
889	30'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
891	40'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
892	50'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
893	60'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
894	75'	3/8" NPT (M) swivel x 3/8" NPT (M) fix

HEAVY DUTY REINFORCED OIL HOSES

Heavy Duty reinforced hoses for use with lubricants. For hose reel replacement hoses, please refer to the corresponding hose reel manual.

1/2" ID WITH MAXIMUM PRESSURE RATING OF 2000 PSI (140 BAR)

PART No.	LENGTH	FITTINGS
845	2.5'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
846	5'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
847	10'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
848	15'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
849	20'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
850	25'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
851	30'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
853	40'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
854	50'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
855	60'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
856	75'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
854 100	100'	1/2" NPT (M) swivel x 1/2" NPT (M) fix

3/4" ID WITH A MAXIMUM PRESSURE RATING OF 1,250 PSI (85 BAR)

PART No.	LENGTH	FITTINGS
860	2.5'	3/4" NPT (M) swivel x 3/4" NPT (M) fix
857	5'	3/4" NPT (M) swivel x 3/4" NPT (M) fix
858	10'	3/4" NPT (M) swivel x 3/4" NPT (M) fix
861	20'	3/4" NPT (M) swivel x 3/4" NPT (M) fix
859	50'	3/4" NPT (M) swivel x 3/4" NPT (M) fix

1" ID WITH A MAXIMUM PRESSURE RATING OF 300 PSI (20 BAR)

PART No.	LENGTH	FITTINGS
863	5'	1" NPT (M) swivel x 1" NPT (M) fix
863 451	50'	1" NPT (M) swivel x 1" NPT (M) fix

FABRIC REINFORCED AIR AND WATER HOSES

Fabric reinforced hoses for use with low pressure air and water. For hose reel replacement hoses, please refer to the corresponding hose reel manual.

1/4" ID WITH MAXIMUM PRESSURE RATING OF 300 PSI (20 BAR)

PART No.	LENGTH	FITTINGS
801	2.5'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
802	5'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
803	10'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
805	25'	1/4" NPT (M) swivel x 1/4" NPT (M) fix
806	30'	1/2" NPT (M) swivel x 1/4" NPT (M) fix
808	40'	1/2" NPT (M) swivel x 1/4" NPT (M) fix
809	50'	1/2" NPT (M) swivel x 1/4" NPT (M) fix

3/8" ID WITH MAXIMUM PRESSURE RATING OF 300 PSI (20 BAR)

PART No.	LENGTH	FITTINGS
812	2.5'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
813	5'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
814	10'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
815	15'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
816	25'	3/8" NPT (M) swivel x 3/8" NPT (M) fix
817	30'	1/2" NPT (M) swivel x 3/8" NPT (M) fix
818	40'	1/2" NPT (M) swivel x 3/8" NPT (M) fix
819	50'	1/2" NPT (M) swivel x 3/8" NPT (M) fix
820	60'	1/2" NPT (M) swivel x 3/8" NPT (M) fix

1/2" ID WITH MAXIMUM PRESSURE RATING OF 300 PSI (20 BAR)

PART No.	LENGTH	FITTINGS
822	2.5'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
823	5'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
824	10'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
825	15'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
827	20'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
826	30'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
828	40'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
829	50'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
830	60'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
831	75'	1/2" NPT (M) swivel x 1/2" NPT (M) fix
829 100	100'	1/2" NPT (M) swivel x 1/2" NPT (M) fix

10
INSTALLATION
ACCESSORIES

FABRIC REINFORCED AIR AND WATER HOSES

Fabric reinforced hoses for use with low pressure air and water.
For hose reel replacement hoses, please refer to the corresponding hose reel manual.

3/4" ID HOSES WITH MAXIMUM PRESSURE RATING OF 250 PSI (18 BAR)

PART No.	LENGTH	FITTINGS
857 002	2.5'	3/4" NPT (M) swivel x 3/4" NPT (M) fix
857 405	5'	3/4" NPT (M) fix x 3/4" NPT (M) fix
832	8'	3/4" NPT (M) fix x 3/4" NPT (M) fix
832 050	50'	3/4" NPT (M) swivel x 3/4" NPT (M) fix

1" ID HOSES WITH MAXIMUM PRESSURE RATING OF 250 PSI (18 BAR)

PART No.	LENGTH	FITTINGS
863 002	2.5'	1" NPT (M) swivel x 1" NPT (M) fix
863 452	50'	1" NPT (M) fix x 1" NPT (M) fix

HOSE STOPS

For 506, 507, 1400 and 504 series hose reels, Bi-conical hose stops.

Part No. 2022

Fits 1/4" hoses.

Part No. 2024

Fits 3/8" hoses.

Part No. 2026

Fits 1/2" hoses.



For 505 Series hose reel, Bi-conical hose stops and U-bolt kit.

Part No. 528 002

Fits 1/2" hoses.

Part No. 528 004

Fits 3/8" hoses.

Part No. 528 003

Fits 3/4" hoses.



For 508 Series hose reels, Bi-conical hose stops and U-bolt kits.

Part No. 528 002

Fits 1/2" hoses.

Part No. 528 003

Fits 3/4" hoses.

Part No. 528 001

Fits 1" hose.



For 5085 Series hose reel, hose stop and U-bolt kit.

Part No. 528 083

Fits 1-1/2" hoses.